TITLE INDEX OF VOLUME 32, 1994

Airborne Geophysics: Application to a Ground-Water Study in Botswana, by J. Bromley, B. Mannström, D. Nisca & A. Jamtlid. v. 32, no. 1, pp. 79-90.

Analysis of In Situ Permeability Tests in Nonpenetrating Wells, by Cem B. Avci. v. 32, no. 2, pp. 312-322.

Analysis of Particle Tracking Errors Associated with Spatial Discretization, by C. Zheng. v. 32, no. 5, pp. 821-828.

Analysis of Slope-Matching Methods for Aquifer Parameter Determination, by R. Srivastava & A. Guzman-Guzman. v. 32, no. 4, pp. 570-575.

Analyzing the Recovery of a Finite-Diameter Well After Purging at an Unknown Rate—A Substitute for Slug-Testing, by Larry W. Picking. v. 32, no. 1, pp. 91-95.

Applicability of Sharp-Interface Models for NAPL Transport: 2. Spreading of a LNAPL, by Aly I. El-Kadi. v. 32, no. 5, pp. 784-793.

Assessment of Critical Flow Path for Improved Remediation Management, by E. Poeter & P. Townsend. v. 32, no. 3, pp. 439-447.

Assessment of Ground-Water Flow and Chemical Transport in a Tidally Influenced Aquifer Using Geostatistical Filtering and Hydrocarbon Fingerprinting, by S. A. Marquis, Jr. & E. A. Smith. v. 32, no. 2, pp. 190-199.

Assessment of Methods and Conditions to Locate Boundaries: I. One or Two Straight Impervious Boundaries, by Robert P. Chapuis. v. 32, no. 4, pp. 576-582.

Assessment of Methods and Conditions to Locate Boundaries: II. One Straight Recharge Boundary, by Robert P. Chapuis. v. 32, no. 4, pp. 583-590.

Attenuation and Biodegradation of Chlorophenols in Ground Water at a Former Wood Treating Facility, by A. Davis, J. Campbell, C. Gilbert, M. V. Ruby, M. Bennett & S. Tobin. v. 32, no. 2, pp. 248-257.

Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 1. Conceptual Model, by S. R. Wilhelm, S. L. Schiff & J. A. Cherry. v. 32, no. 6, pp. 905-916.

Characterization of Flow Parameters Controlling Soil Vapor Extraction, by G. D. Beckett & D. Huntley. v. 32, no. 2, pp. 239-247.

Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 1. Field Experiments and Laboratory Analysis, by K. Loague, R. N. Miyahira, D. S. Oki, R. E. Green, R. C. Schneider & T. W. Giambelluca. v. 32, no. 6, pp. 986-996.

Comparison of Drilling Reports and Detailed Geophysical Analysis of Ground-Water Production in Bedrock Wells, by F. Paillet & R. Duncanson. v. 32, no. 2, pp. 200-206.

Comparison of Modeled Disposal Well Plumes Using Average and Variable Injectate Densities, by R. G. Larkin, J. E. Clark & P. W. Papadeas. v. 32, no. 1, pp. 35-40.

Computer Notes — A Computer Model for DNAPL Potential Migration Study, by Song-kai Yan, G. R. Landry & T. Tate. v. 32, no. 6, pp. 1029-1034.

Computer Notes — A Simple and Powerful Method of Parameter Estimation Using Simplex Optimization, by J. F. Devlin. v. 32, no. 2, pp. 323-327.

Computer Notes — Ground Water for Windows™ — A New Ground-Water Information System Software, by Jasminko Karanjac. v. 32, no. 6, pp. 1022-1028.

Computer Notes — Implementation and Use of Direct-Flow Connections in a Coupled Ground-Water and Surface-Water Model, by Eric D. Swain. v. 32, no. 1, pp. 139-144.

Computer Notes — Modifications to the Computer Program TENSOR2D, by Morris L. Maslia. v. 32, no. 3, pp. 501-502.

Computer Notes — Recommendations for Usage of SURFER to Gridding Model Results, by C. Shan & D. B. Stephens. v. 32, no. 3, pp. 503-506.

Correlation Between DRASTIC Vulnerabilities and Incidents of VOC Contamination of Municipal Wells in Nebraska, by R. J. Kalinski, W. E. Kelly, I. Bogardi, R. L. Ehrman & P. D. Yamamoto. v. 32, no. 1, pp. 31-34.

Deep Ground-Water Investigation by Combined VES/MTS Methods Near Ho Chi Minh City, Viet Nam, by V. N. Pham, D. Boyer, T.K.T. Nguyen & V. G. Nguyen. v. 32, no. 4, pp. 675-682.

Diffusive Disappearance of Immiscible-Phase Organic Liquids in Fractured Geologic Media, by B. L. Parker, R. W. Gillham & J. A. Cherry. v. 32, no. 5, pp. 805-820.

Dissolution of a Toluene Pool Under Constant and Variable Hydraulic Gradients with Implications for Aquifer Remediation, by E. A. Voudrias & M.-F. Yeh. v. 32, no. 2, pp. 305-311.

(An) Electronic Minipermeameter for Use in the Field and Laboratory, by J. M. Sharp, Jr., L. Fu, P. Cortez & E. Wheeler. v. 32, no. 1, pp. 41-46.

Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron, by R. W. Gillham & S. F. O'Hannesin. v. 32, no. 6, pp. 958-967.

Estimation of Aquifer Diffusivity from Analysis of Constant-Head Pumping Test Data, by C. K. Hiller & B. S. Levy. v. 32, no. 1, pp. 47-52.

Estimation of Residual Dense NAPL Mass by Inverse Modeling, by J. B. Butcher & T. D. Gauthier. v. 32, no. 1, pp. 71-78.

Estimation of Solute Concentrations Using the Pathline Counting Method, by J. A. Johnson, V. Ravi & J. K. Rumery. v. 32, no. 5, pp. 719-726.

Evaluation of Fluorobenzoate Tracers in Surface Soils, by Dan B. Jaynes. v. 32, no. 4, pp. 532-538.

(An) Evaluation of the Reproducibility of Forced-Gradient Solute Transport Tests, by G. C. Bianchi-Mosquera & D. M. Mackay. v. 32, no. 6, pp. 937-948.

Evidence for Dedolomitization and Mixing in Paleozoic Carbonates Near Oak Ridge, Tennessee, by J. A. Saunders & L. E. Toran. v. 32, no. 2, pp. 207-214.

(An) Expert Systems Approach for Assessing the Potential for Pesticide Contamination of Ground Water, by A. S. Crowe & J. P. Mutch. v. 32, no. 3, pp. 487-498.

Field Study of a Long and Very Narrow Contaminant Plume, by G. van der Kamp, L. D. Luba, J. A. Cherry & H. Maathuis. v. 32, no. 6, pp. 1008-1016.

(A) General Solution to the Step-Drawdown Test, by Otto J. Helweg. v. 32, no. 3, pp. 363-366.

(A) Geochemical and Isotopic Approach to Delineate Landfill Leachates in an RCRA Study, by S. J. Fritz, J. D. Bryan, F. E. Harvey & D. I. Leap. v. 32, no. 5, pp. 743-750.

Geochemical Reduction of Hexavalent Chromium in the Trinity Sand Aquifer, by Thomas Henderson. v. 32, no. 3, pp. 477-486.

Geostatistical Modeling of Heterogeneity in Glaciofluvial, Buried-Valley Aquifers, by R. W. Ritzi Jr., D. F. Jayne, A. J. Zahradnik Jr., A. A. Field & G. E. Fogg. v. 32, no. 4, pp. 666-674.

Ground-Water Contribution to Stream Salinity in a Shale Catchment, R.S.A., by G. J. Greeff. v. 32, no. 1, pp. 63-70.

Ground-Water Tracing with Injected Helium, by S. K. Gupta, L. S. Lau & P. S. Moravcik. v. 32, no. 1, pp. 96-102.

Guest Editorial — Education of Future Ground-Water Professionals, by Arden D. Davis. v. 32, no. 5, pp. 706-707.

TITLE INDEX OF VOLUME 32, 1994

Airborne Geophysics: Application to a Ground-Water Study in Botswana, by J. Bromley, B. Mannström, D. Nisca & A. Jamtlid. v. 32, no. 1, pp. 79-90.

Analysis of In Situ Permeability Tests in Nonpenetrating Wells, by Cem B. Avci. v. 32, no. 2, pp. 312-322.

Analysis of Particle Tracking Errors Associated with Spatial Discretization, by C. Zheng. v. 32, no. 5, pp. 821-828.

Analysis of Slope-Matching Methods for Aquifer Parameter Determination, by R. Srivastava & A. Guzman-Guzman. v. 32, no. 4, pp. 570-575.

Analyzing the Recovery of a Finite-Diameter Well After Purging at an Unknown Rate—A Substitute for Slug-Testing, by Larry W. Picking. v. 32, no. 1, pp. 91-95.

Applicability of Sharp-Interface Models for NAPL Transport: 2. Spreading of a LNAPL, by Aly I. El-Kadi. v. 32, no. 5, pp. 784-793.

Assessment of Critical Flow Path for Improved Remediation Management, by E. Poeter & P. Townsend. v. 32, no. 3, pp. 439-447.

Assessment of Ground-Water Flow and Chemical Transport in a Tidally Influenced Aquifer Using Geostatistical Filtering and Hydrocarbon Fingerprinting, by S. A. Marquis, Jr. & E. A. Smith. v. 32, no. 2, pp. 190-199.

Assessment of Methods and Conditions to Locate Boundaries: I. One or Two Straight Impervious Boundaries, by Robert P. Chapuis. v. 32, no. 4, pp. 576-582.

Assessment of Methods and Conditions to Locate Boundaries: II. One Straight Recharge Boundary, by Robert P. Chapuis. v. 32, no. 4, pp. 583-590.

Attenuation and Biodegradation of Chlorophenols in Ground Water at a Former Wood Treating Facility, by A. Davis, J. Campbell, C. Gilbert, M. V. Ruby, M. Bennett & S. Tobin. v. 32, no. 2, pp. 248-257.

Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 1. Conceptual Model, by S. R. Wilhelm, S. L. Schiff & J. A. Cherry. v. 32, no. 6, pp. 905-916.

Characterization of Flow Parameters Controlling Soil Vapor Extraction, by G. D. Beckett & D. Huntley. v. 32, no. 2, pp. 239-247.

Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 1. Field Experiments and Laboratory Analysis, by K. Loague, R. N. Miyahira, D. S. Oki, R. E. Green, R. C. Schneider & T. W. Giambelluca. v. 32, no. 6, pp. 986-996.

Comparison of Drilling Reports and Detailed Geophysical Analysis of Ground-Water Production in Bedrock Wells, by F. Paillet & R. Duncanson. v. 32, no. 2, pp. 200-206.

Comparison of Modeled Disposal Well Plumes Using Average and Variable Injectate Densities, by R. G. Larkin, J. E. Clark & P. W. Papadeas. v. 32, no. 1, pp. 35-40.

Computer Notes — A Computer Model for DNAPL Potential Migration Study, by Song-kai Yan, G. R. Landry & T. Tate. v. 32, no. 6, pp. 1029-1034.

Computer Notes — A Simple and Powerful Method of Parameter Estimation Using Simplex Optimization, by J. F. Devlin. v. 32, no. 2, pp. 323-327.

Computer Notes — Ground Water for Windows™ — A New Ground-Water Information System Software, by Jasminko Karanjac. v. 32, no. 6, pp. 1022-1028.

Computer Notes — Implementation and Use of Direct-Flow Connections in a Coupled Ground-Water and Surface-Water Model, by Eric D. Swain. v. 32, no. 1, pp. 139-144.

Computer Notes — Modifications to the Computer Program TENSOR2D, by Morris L. Maslia. v. 32, no. 3, pp. 501-502.

Computer Notes — Recommendations for Usage of SURFER to Gridding Model Results, by C. Shan & D. B. Stephens. v. 32, no. 3, pp. 503-506.

Correlation Between DRASTIC Vulnerabilities and Incidents of VOC Contamination of Municipal Wells in Nebraska, by R. J. Kalinski, W. E. Kelly, I. Bogardi, R. L. Ehrman & P. D. Yamamoto. v. 32, no. 1, pp. 31-34.

Deep Ground-Water Investigation by Combined VES/MTS Methods Near Ho Chi Minh City, Viet Nam, by V. N. Pham, D. Boyer, T.K.T. Nguyen & V. G. Nguyen. v. 32, no. 4, pp. 675-682.

Diffusive Disappearance of Immiscible-Phase Organic Liquids in Fractured Geologic Media, by B. L. Parker, R. W. Gillham & J. A. Cherry. v. 32, no. 5, pp. 805-820.

Dissolution of a Toluene Pool Under Constant and Variable Hydraulic Gradients with Implications for Aquifer Remediation, by E. A. Voudrias & M.-F. Yeh. v. 32, no. 2, pp. 305-311.

(An) Electronic Minipermeameter for Use in the Field and Laboratory, by J. M. Sharp, Jr., L. Fu, P. Cortez & E. Wheeler. v. 32, no. 1, pp. 41-46.

Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron, by R. W. Gillham & S. F. O'Hannesin. v. 32, no. 6, pp. 958-967.

Estimation of Aquifer Diffusivity from Analysis of Constant-Head Pumping Test Data, by C. K. Hiller & B. S. Levy. v. 32, no. 1, pp. 47-52.

Estimation of Residual Dense NAPL Mass by Inverse Modeling, by J. B. Butcher & T. D. Gauthier. v. 32, no. 1, pp. 71-78.

Estimation of Solute Concentrations Using the Pathline Counting Method, by J. A. Johnson, V. Ravi & J. K. Rumery. v. 32, no. 5, pp. 719-726.

Evaluation of Fluorobenzoate Tracers in Surface Soils, by Dan B. Jaynes. v. 32, no. 4, pp. 532-538.

(An) Evaluation of the Reproducibility of Forced-Gradient Solute Transport Tests, by G. C. Bianchi-Mosquera & D. M. Mackay. v. 32, no. 6, pp. 937-948.

Evidence for Dedolomitization and Mixing in Paleozoic Carbonates Near Oak Ridge, Tennessee, by J. A. Saunders & L. E. Toran. v. 32, no. 2, pp. 207-214.

(An) Expert Systems Approach for Assessing the Potential for Pesticide Contamination of Ground Water, by A. S. Crowe & J. P. Mutch. v. 32, no. 3, pp. 487-498.

Field Study of a Long and Very Narrow Contaminant Plume, by G. van der Kamp, L. D. Luba, J. A. Cherry & H. Maathuis. v. 32, no. 6, pp. 1008-1016.

(A) General Solution to the Step-Drawdown Test, by Otto J. Helweg. v. 32, no. 3, pp. 363-366.

(A) Geochemical and Isotopic Approach to Delineate Landfill Leachates in an RCRA Study, by S. J. Fritz, J. D. Bryan, F. E. Harvey & D. I. Leap. v. 32, no. 5, pp. 743-750.

Geochemical Reduction of Hexavalent Chromium in the Trinity Sand Aquifer, by Thomas Henderson. v. 32, no. 3, pp. 477-486.

Geostatistical Modeling of Heterogeneity in Glaciofluvial, Buried-Valley Aquifers, by R. W. Ritzi Jr., D. F. Jayne, A. J. Zahradnik Jr., A. A. Field & G. E. Fogg. v. 32, no. 4, pp. 666-674.

Ground-Water Contribution to Stream Salinity in a Shale Catchment, R.S.A., by G. J. Greeff. v. 32, no. 1, pp. 63-70.

Ground-Water Tracing with Injected Helium, by S. K. Gupta, L. S. Lau & P. S. Moravcik. v. 32, no. 1, pp. 96-102.

Guest Editorial — Education of Future Ground-Water Professionals, by Arden D. Davis. v. 32, no. 5, pp. 706-707.

Guest Editorial — Forum on Ground-Water Remediation, by R. N. Farvolden & M. A. Apgar. v. 32, no. 3, pp. 354-355.
Guest Editorial — Model (In)validation — A View from the Courtroom, by E. Scott Bair. v. 32, no. 4, pp. 530-531.
Guest Editorial — Scientifically Credible Site-Specific Soil Cleanup Levels to Protect Ground Water, by D. A. Belluck & S. L. Benjamin. v. 32, no. 6, pp. 882-883.
Guest Editorial — The Midwest Flood of 1993: The Role of Ground Water and a Continuing Disaster, by Charles A. Job. v. 32, no. 2, pp. 178-179.
Henry Darcy and the Fountains of Dijon, by R. Allan Freeze. v. 32, no. 1, pp. 23-30.
Hydraulic Connections Among Subaquifers of the Coastal Plain Aquifer, Israel, by R. Nativ & N. Weisbrod. v. 32, no. 6, pp. 997-1007.
Hydrochemistry of the Mahomet Bedrock Valley Aquifer, East-Central Illinois: Indicators of Recharge and Ground-Water Flow, by S. V. Panno, K. C. Hackley, K. Cartwright & C. L. Liu. v. 32, no. 4, pp. 591-604.
Hydrology and Chemistry of Thermal Waters Near Wells, Nevada, by P. W. Jewell, T. A. Rahn & J. R. Bowman. v. 32, no. 4, pp. 657-665.
Hydrothermal Estimation of Vertical Ground-Water Flow, Cañutillo, Texas, by S. C. Wade & M. Reiter. v. 32, no. 5, pp. 735-742.
(An) Image-Well Method for Predicting Drawdown Distribution in Aquifers with Irregularly Shaped Boundaries, by M.C.T. Kuo, W. L. Wang, D. S. Lin, C. C. Lin & C. J. Chiang. v. 32, no. 5, pp. 794-804.
In Situ Estimation of Transport Parameters: A Field Demonstration, by W. R. Wise & R. J. Charbeneau. v. 32, no. 3, pp. 420-430.
In Situ Remediation of Contaminated Ground Water: The Funnel-and-Gate System, by R. C. Starr & J. A. Cherry. v. 32, no. 3, pp. 465-476.
In Situ Surfactant Washing of Polychlorinated Biphenyls and Oils from a Contaminated Field Site: Phase II Pilot Study, by A. S. Abdul & C. C. Ang. v. 32, no. 5, pp. 727-734.
Interpretation of Slug and Packer Tests in Anisotropic Aquifers, by Vitaly Zlotnik. v. 32, no. 5, pp. 761-766.
Inverse Analysis Implementation of the SUTRA Ground-Water Model, by A. R. Piggott, A. G. Bobba & J. Xiang. v. 32, no. 5, pp. 829-836.
(An) Investigation of the Relationship Between Actual and Apparent Gasoline Thickness in a Uniform Sand Aquifer, by T. P. Ballestero, F. R. Fiedler & N. E. Kinner. v. 32, no. 5, pp. 708-718.
(A) Laboratory Analysis of the Effect of Macropores on Solute Transport, by D. Wildenschild, K. H. Jensen, K. Villholth & T. H. Illangasekare. v. 32, no. 3, pp. 381-389.
Leachate Geochemistry at a Municipal Landfill, Memphis, Tennessee, by J. E. Mirecki & W. S. Parks. v. 32, no. 3, pp. 390-398.
Maximum Water-Table Drawdown at a Fully Penetrating Pumping Well, by M. J. Gefell, G. M. Thomas & S. J. Rossello. v. 32, no. 3, pp. 411-419.
(A) Method of Collecting and Analyzing Lineaments for Regional-Scale Fractured-Bedrock Aquifer Studies, by S. B. Mabee, K. C. Hardcastle & D. U. Wise. v. 32, no. 6, pp. 884-894.
Modeling Chemical Transformation Products Using Asymptotic Solutions, by W. B. Mills & S. Liu. v. 32, no. 4, pp. 635-644.
Modeling Free Product Migration and Recovery at Hydrocarbon Spill Sites, by J. C. Parker, J. L. Zhu, T. G. Johnson, V. J. Kremesec & E. L. Hockman. v. 32, no. 1, pp. 119-128.
Modeling Ground-Water Remediation in the High Plains Aquifer, by G. Mergia & W. E. Kelly. v. 32, no. 1, pp. 129-138.
Modeling the Effects of Salt-Water Intrusion Dynamics for a Coastal Karstified Block Connected to a Detrital Aquifer, by M. L. Calvache & A. Pulido-Bosch. v. 32, no. 5, pp. 767-777.
(A) Modified Mise-A'-La-Masse Method for Contaminant Plume Delineation, by J. L. Osiensky & P. R. Donaldson. v. 32, no. 3, pp. 448-457.
Monitoring Drainage Solution Concentrations and Solute Flux in Unsaturated Soil with a Porous Cup Sampler and Soil Moisture Sensors, by P. E. McGuire & B. Lowery. v. 32, no. 3, pp. 356-362.
Monte Carlo Simulation and Effective Medium Approximation in Subsurface Flow Modeling, by S. P. Shrestha & G. V. Loganathan. v. 32, no. 6, pp. 929-936.
Natural Biological Attenuation of Benzene in Ground Water Beneath a Manufacturing Facility, by J. W. Davis, N. J. Klier & C. L. Carpenter. v. 32, no. 2, pp. 215-226.
Nonaqueous Phase Hydrocarbon in a Fine-Grained Sandstone: 1. Comparison Between Measured and Predicted Saturations and Mobility, by D. Huntley, R. N. Hawk & H. P. Corley. v. 32, no. 4, pp. 626-634.
Nonaqueous Phase Hydrocarbon in a Fine-Grained Sandstone: 2. Effect of Local Sediment Variability on the Estimation of Hydrocarbon Volumes, by D. Huntley, J. W. Wallace & R. N. Hawk. v. 32, no. 5, pp. 778-783.
Nonlinear Adsorption of Uranyl: Analytical Modeling of Liner Migration, by Robert O. Johnson. v. 32, no. 2, pp. 293-304.
Numerical Modeling of Axisymmetric Flow, by A. Pandit & J. M. Abi Aoun. v. 32, no. 3, pp. 458-464.
Numerical Modeling of Ground-Water Resource Management Options in Kuwait, by A. Mukhopadhyay, J. Al-Sulaimi & J. M. Barrat. v. 32, no. 6, pp. 917-928.
Numerical Simulation of the Wicking Effect in Liner Systems, by T.-C. J. Yeh, A. Guzman, R. Srivastava & P. E. Gagnard. v. 32, no. 1, pp. 2-11.
One-Dimensional Moving Finite-Element Model of Solute Transport, by G. Gottardi & M. Venutelli. v. 32, no. 4, pp. 645-649.
Physical and Mathematical Modeling of Diesel Fuel Liquid and Vapor Movement in Porous Media, by T. E. Johnson & D. K. Kreamer. v. 32, no. 4, pp. 551-560.
(A) Portable Air-Minipermeameter for Rapid In Situ Field Measurements, by J. M. Davis, J. L. Wilson & F. M. Phillips. v. 32, no. 2, pp. 258-266.
Recovery Performance for Vertical and Horizontal Wells Using Semianalytical Simulation, by Theodore G. Cleveland. v. 32, no. 1, pp. 103-107.
(A) Refraction Statics Method for Mapping Bedrock, by P. Taucher & B. N. Fuller. v. 32, no. 6, pp. 895-904.
Regional Scale Ground-Water Vulnerability Estimates: Impact of Reducing Data Uncertainties for Assessments in Hawaii, by Keith Loague. v. 32, no. 4, pp. 605-616.
Relation Between Hydraulic Conductivity and Texture in a Carbonate Aquifer: Observations, by C. W. Rovey II & D. S. Cherkauer. v. 32, no. 1, pp. 53-62.
Relation Between Hydraulic Conductivity and Texture in a Carbonate Aquifer: Regional Continuity, by C. W. Rovey II & D. S. Cherkauer. v. 32, no. 2, pp. 227-238.
Relative Importance of Baseflow and Quickflow from Hydrographs of Karst Spring, by A. Padilla, A. Pulido-Bosch & A. Mangin. v. 32, no. 2, pp. 267-277.
Reproducible Well-Purging Procedures and VOC Stabilization Criteria for Ground-Water Sampling, by M. J. Barcelona, H. A. Wehrmann & M. D. Varljen. v. 32, no. 1, pp. 12-22.
(A) Rewetting Approximation for a Simulator of Flow in a Surficial Aquifer Overlain by Seasonally Inundated Wetlands, by Michael L. Merritt. v. 32, no. 2, pp. 286-292.
(A) Semipassive Nutrient Injection Scheme for Enhanced In Situ Bioremediation, by J. F. Devlin & J. F. Barker. v. 32, no. 3, pp. 374-380.
Solubilization and Microemulsification of Chlorinated Solvents Using Direct Food Additive (Edible) Surfactants, by B.-J. Shiau, D. A. Sabatini & J. H. Harwell. v. 32, no. 4, pp. 561-569.
Some Calculations on Multicomponent Transport with Cation

Exchange in Aquifers, by C.A.J. Appelo. v. 32, no. 6, pp. 968-975.

Spatial Variability in Hydrologic Properties of a Volcanic Tuff, by J. D. Istok, C. A. Rautman, L. E. Flint & A. L. Flint. v. 32, no. 5, pp. 751-760.

Specific Yield as Determined by Type-Curve Analysis of Aquifer-Test Data, by Allen F. Moench. v. 32, no. 6, pp. 949-957.

(A) Study of the DRASTIC Methodology with Emphasis on Swedish Conditions, by Lars Rosen. v. 32, no. 2, pp. 278-285.

(A) Survey of Charge-Balance Errors on Published Analyses of Potable Ground and Surface Waters, by Steven J. Fritz. v. 32, no. 4, pp. 539-546.

Technical Notes — Adsorbed Concentration vs. Lab-Reported Concentration in Soil, by Mohammad F. N. Mohsen. v. 32, no. 3, pp. 499-500.

Temporal Changes in Manganese Concentrations in Water from the Fredericton Aquifer, New Brunswick, by N. E. Thomas, K. T. Kan, D. I. Bray & K.T.B. MacQuarrie. v. 32, no. 4, pp. 650-656.

Testing an Automated Method to Estimate Ground-Water Recharge from Streamflow Records, by A. T. Rutledge & C. C. Daniel, III. v. 32, no. 2, pp. 180-189.

Testing the Limits of ICP-MS: Determination of Trace Elements in Ground Water at the Part-Per-Trillion Level, by K. J. Stetzenbach, M. Amano, D. K. Kreamer & V. F. Hodge. v. 32, no. 6, pp. 976-985.

Two- and Three-Dimensional Pathline Analysis of Contributing Areas to Public-Supply Wells of Cape Cod, Massachusetts, by Paul M. Barlow. v. 32, no. 3, pp. 399-410.

Two-Dimensional Dispersivity Estimation Using Tracer Experiment Data, by S. Zou & A. Parr. v. 32, no. 3, pp. 367-373.

Two Methods for the Laboratory Identification of Transversal Dispersivity, by S. Pisani & N. Tosi. v. 32, no. 3, pp. 431-438.

Unsaturated Hydrogeologic Properties of Reclaimed Coal Strip Mines, by D. M. Diodato & R. R. Parizek. v. 32, no. 1, pp. 108-118.

Use of a Geographic Information System in Site-Specific Ground-Water Modeling, by A. I. El-Kadi, A. A. Oloufa, A. A. Eltahan & H. U. Malik. v. 32, no. 4, pp. 617-625.

Use of Tension Infiltrometer Data with Unsaturated Hydraulic Conductivity Models, by M. H. Nachabe & T. Illangasekare. v. 32, no. 6, pp. 1017-1021.

Well Discharge Optimization Using Analytic Elements, by Charles R. Fitts. v. 32, no. 4, pp. 547-550.

AUTHOR INDEX OF VOLUME 32, 1994

Abdul, A. S. & C. C. Ang. *In Situ Surfactant Washing of Polychlorinated Biphenyls and Oils from a Contaminated Field Site: Phase II Pilot Study.* v. 32, no. 5, pp. 727-734.

Appelo, C.A.J. *Some Calculations on Multicomponent Transport with Cation Exchange in Aquifers.* v. 32, no. 6, pp. 968-975.

Avci, Cem B. *Analysis of In Situ Permeability Tests in Nonpenetrating Wells.* v. 32, no. 2, pp. 312-322.

Bair, E. Scott. *Guest Editorial — Model (In)validation — A View from the Courtroom.* v. 32, no. 4, pp. 530-531.

Ballestero, T. P., F. R. Fiedler & N. E. Kinner. *(An) Investigation of the Relationship Between Actual and Apparent Gasoline Thickness in a Uniform Sand Aquifer.* v. 32, no. 5, pp. 708-718.

Barcelona, M. J., H. A. Wehrmann & M. D. Varljen. *Reproducible Well-Purging Procedures and VOC Stabilization Criteria for Ground-Water Sampling.* v. 32, no. 1, pp. 12-22.

Barlow, Paul M. *Two- and Three-Dimensional Pathline Analysis of Contributing Areas to Public-Supply Wells of Cape Cod, Massachusetts.* v. 32, no. 3, pp. 399-410.

Beckett, G. D. & D. Huntley. *Characterization of Flow Parameters Controlling Soil Vapor Extraction.* v. 32, no. 2, pp. 239-247.

Belluck, D. A. & S. L. Benjamin. *Guest Editorial — Scientifically Credible Site-Specific Soil Cleanup Levels to Protect Ground Water.* v. 32, no. 6, pp. 882-883.

Bianchi-Mosquera, G. C. & D. M. Mackay. *(An) Evaluation of the Reproducibility of Forced-Gradient Solute Transport Tests.* v. 32, no. 6, pp. 937-948.

Bromley, J., B. Mannström, D. Nisca & A. Jamtlid. *Airborne Geophysics: Application to a Ground-Water Study in Botswana.* v. 32, no. 1, pp. 79-90.

Butcher, J. B. & T. D. Gauthier. *Estimation of Residual Dense NAPL Mass by Inverse Modeling.* v. 32, no. 1, pp. 71-78.

Calvache, M. S. & A. Pulido-Bosch. *Modeling the Effects of Salt-Water Intrusion Dynamics for a Coastal Karstified Block Connected to a Detrital Aquifer.* v. 32, no. 5, pp. 767-777.

Chapuis, Robert P. *Assessment of Methods and Conditions to Locate Boundaries: I. One or Two Straight Impervious Boundaries.* v. 32, no. 4, pp. 576-582.

Chapuis, Robert P. *Assessment of Methods and Conditions to Locate Boundaries: II. One Straight Recharge Boundary.* v. 32, no. 4, pp. 583-590.

Cleveland, Theodore G. *Recovery Performance for Vertical and Horizontal Wells Using Semianalytical Simulation.* v. 32, no. 1, pp. 103-107.

Crowe, A. S. & J. P. Mutch. *(An) Expert Systems Approach for Assessing the Potential for Pesticide Contamination of Ground Water.* v. 32, no. 3, pp. 487-498.

Davis, A., J. Campbell, C. Gilbert, M. V. Ruby, M. Bennett & S. Tobin. *Attenuation and Biodegradation of Chlorophenols in Ground Water at a Former Wood Treating Facility.* v. 32, no. 2, pp. 248-257.

Davis, Arden D. *Guest Editorial — Education of Future Ground-Water Professionals.* v. 32, no. 5, pp. 706-707.

Davis, J. M., J. L. Wilson & F. M. Phillips. *(A) Portable Air-Minipermeameter for Rapid In Situ Field Measurements.* v. 32, no. 2, pp. 258-266.

Davis, J. W., N. J. Klier & C. L. Carpenter. *Natural Biological Attenuation of Benzene in Ground Water Beneath a Manufacturing Facility.* v. 32, no. 2, pp. 215-226.

Devlin, J. F. *Computer Notes — A Simple and Powerful Method of Parameter Estimation Using Simplex Optimization.* v. 32, no. 2, pp. 323-327.

Devlin, J. F. & J. F. Barker. *(A) Semipassive Nutrient Injection Scheme for Enhanced In Situ Bioremediation.* v. 32, no. 3, pp. 374-380.

Diodato, D. M. & R. R. Parizek. *Unsaturated Hydrogeologic Properties of Reclaimed Coal Strip Mines.* v. 32, no. 1, pp. 108-118.

El-Kadi, A. I., A. A. Oloufa, A. A. Eltahan & H. U. Malik. *Use of a Geographic Information System in Site-Specific Ground-Water Modeling.* v. 32, no. 4, pp. 617-625.

El-Kadi, Aly I. *Applicability of Sharp-Interface Models for NAPL Transport: 2. Spreading of a LNAPL.* v. 32, no. 5, pp. 784-793.

Farvolden, R. N. & M. A. Apgar. *Guest Editorial — Forum on Ground-Water Remediation.* v. 32, no. 3, pp. 354-355.

Fitts, Charles R. *Well Discharge Optimization Using Analytic Elements.* v. 32, no. 4, pp. 547-550.

Freeze, R. Allan. *Henry Darcy and the Fountains of Dijon.* v. 32, no. 1, pp. 23-30.

Fritz, S. J., J. D. Bryan, F. E. Harvey & D. I. Leap. *(A) Geochemical and Isotopic Approach to Delineate Landfill Leachates in an RCRA Study.* v. 32, no. 5, pp. 743-750.

Fritz, Steven J. *(A) Survey of Charge-Balance Errors on Published Analyses of Potable Ground and Surface Waters.* v. 32, no. 4, pp. 539-546.

Gefell, M. J., G. M. Thomas & S. J. Rossello. *Maximum Water-Table Drawdown at a Fully Penetrating Pumping Well.* v. 32, no. 3, pp. 411-419.

Gillham, R. W. & S. F. O'Hannesin. *Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron.* v. 32, no. 6, pp. 958-967.

Gottardi, G. & M. Venutelli. *One-Dimensional Moving Finite-Element Model of Solute Transport.* v. 32, no. 4, pp. 645-649.

Greeff, G. J. *Ground-Water Contribution to Stream Salinity in a Shale Catchment, R.S.A.* v. 32, no. 1, pp. 63-70.

Gupta, S. K., L. S. Lau & P. S. Moravcik. *Ground-Water Tracing with Injected Helium.* v. 32, no. 1, pp. 96-102.

Helweg, Otto J. *(A) General Solution to the Step-Drawdown Test.* v. 32, no. 3, pp. 363-366.

Henderson, Thomas. *Geochemical Reduction of Hexavalent Chromium in the Trinity Sand Aquifer.* v. 32, no. 3, pp. 477-486.

Hiller, C. K. & B. S. Levy. *Estimation of Aquifer Diffusivity from Analysis of Constant-Head Pumping Test Data.* v. 32, no. 1, pp. 47-52.

Huntley, D., J. W. Wallace & R. N. Hawk. *Nonaqueous Phase Hydrocarbon in a Fine-Grained Sandstone: 2. Effect of Local Sediment Variability on the Estimation of Hydrocarbon Volumes.* v. 32, no. 5, pp. 778-783.

Huntley, D., R. N. Hawk & H. P. Corley. *Nonaqueous Phase Hydrocarbon in a Fine-Grained Sandstone: 1. Comparison Between Measured and Predicted Saturations and Mobility.* v. 32, no. 4, pp. 626-634.

Istok, J. D., C. A. Rautman, L. E. Flint & A. L. Flint. *Spatial Variability in Hydrologic Properties of a Volcanic Tuff.* v. 32, no. 5, pp. 751-760.

Jaynes, Dan B. *Evaluation of Fluorobenzoate Tracers in Surface Soils.* v. 32, no. 4, pp. 532-538.

Jewell, P. W., T. A. Rahn & J. R. Bowman. *Hydrology and Chemistry of Thermal Waters Near Wells, Nevada.* v. 32, no. 4, pp. 657-665.

Job, Charles A. *Guest Editorial — The Midwest Flood of 1993: The Role of Ground Water and a Continuing Disaster.* v. 32, no. 2, pp. 178-179.

Johnson, J. A., V. Ravi & J. K. Rumery. *Estimation of Solute Concentrations Using the Pathline Counting Method.* v. 32, no. 5, pp. 719-726.

Johnson, Robert O. *Nonlinear Adsorption of Uranyl: Analytical Modeling of Liner Migration.* v. 32, no. 2, pp. 293-304.

Johnson, T. E. & D. K. Kreamer. *Physical and Mathematical Modeling of Diesel Fuel Liquid and Vapor Movement in Porous Media.* v. 32, no. 4, pp. 551-560.

Kalinski, R. J., W. E. Kelly, I. Bogardi, R. L. Ehrman & P. D. Yamamoto. *Correlation Between DRASTIC Vulnerabilities and Incidents of VOC Contamination of Municipal Wells in Nebraska.*v. 32, no. 1, pp. 31-34.

Karanjac, Jasminko. *Computer Notes — Ground Water for Windows™ — A New Ground-Water Information System Software.* v. 32, no. 6, pp. 1022-1028.

Kuo, M.C.T., W. L. Wang, D. S. Lin, C. C. Lin & C. J. Chiang. *(An) Image-Well Method for Predicting Drawdown Distribution in Aquifers with Irregularly Shaped Boundaries.* v. 32, no. 5, pp. 794-804.

Larkin, R. G., J. E. Clark & P. W. Papadeas. *Comparison of Modeled Disposal Well Plumes Using Average and Variable Injectate Densities.* v. 32, no. 1, pp. 35-40.

Loague, K., R. N. Miyahira, D. S. Oki, R. E. Green, R. C. Schneider & T. W. Giambelluca. *Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 1. Field Experiments and Laboratory Analysis.* v. 32, no. 6, pp. 986-996.

Loague, Keith. *Regional Scale Ground-Water Vulnerability Estimates: Impact of Reducing Data Uncertainties for Assessments in Hawaii.* v. 32, no. 4, pp. 605-616.

Mabee, S. B., K. C. Hardcastle & D. U. Wise. *(A) Method of Collecting and Analyzing Lineaments for Regional-Scale Fractured-Bedrock Aquifer Studies.* v. 32, no. 6, pp. 884-894.

Marquis, S. A. Jr. & E. A. Smith. *Assessment of Ground-Water Flow and Chemical Transport in a Tidally Influenced Aquifer Using Geostatistical Filtering and Hydrocarbon Fingerprinting.* v. 32, no. 2, pp. 190-199.

Maslia, Morris L. *Computer Notes — Modifications to the Computer Program TENSOR2D.* v. 32, no. 3, pp. 501-502.

McGuire, P. E. & B. Lowery. *Monitoring Drainage Solution Concentrations and Solute Flux in Unsaturated Soil with a Porous Cup Sampler and Soil Moisture Sensors.* v. 32, no. 3, pp. 356-362.

Mergia, G. & W. E. Kelly. *Modeling Ground-Water Remediation in the High Plains Aquifer.* v. 32, no. 1, pp. 129-138.

Merritt, Michael L. *(A) Rewetting Approximation for a Simulator of Flow in a Surficial Aquifer Overlain by Seasonally Inundated Wetlands.* v. 32, no. 2, pp. 286-292.

Mills, W. B. & S. Liu. *Modeling Chemical Transformation Products Using Asymptotic Solutions.* v. 32, no. 4, pp. 635-644.

Mirecki, J. E. & W. S. Parks. *Leachate Geochemistry at a Municipal Landfill, Memphis, Tennessee.* v. 32, no. 3, pp. 390-398.

Moench, Allen F. *Specific Yield as Determined by Type-Curve Analysis of Aquifer-Test Data.* v. 32, no. 6, pp. 949-957.

Mohsen, Mohammad F. N. *Technical Notes — Adsorbed Concentration vs. Lab-Reported Concentration in Soil.* v. 32, no. 3, pp. 499-500.

Mukhopadhyay, A., J. Al-Sulaimi & J. M. Barrat. *Numerical Modeling of Ground-Water Resource Management Options in Kuwait.* v. 32, no. 6, pp. 917-928.

Nachabe, M. H. & T. Illangasekare. *Use of Tension Infiltrometer Data with Unsaturated Hydraulic Conductivity Models.* v. 32, no. 6, pp. 1017-1021.

Nativ, R. & N. Weisbrod. *Hydraulic Connections Among Subaquifers of the Coastal Plain Aquifer, Israel.* v. 32, no. 6, pp. 997-1007.

Osiensky, J. L. & P. R. Donaldson. *(A) Modified Mise-A'-La-Masse Method for Contaminant Plume Delineation.* v. 32, no. 3, pp. 448-457.

Padilla, A., A. Pulido-Bosch & A. Mangin. *Relative Importance of Baseflow and Quickflow from Hydrographs of Karst Spring.* v. 32, no. 2, pp. 267-277.

Paillet, F. & R. Duncanson. *Comparison of Drilling Reports and Detailed Geophysical Analysis of Ground-Water Production in Bedrock Wells.* v. 32, no. 2, pp. 200-206.

Pandit, A. & J. M. Abi Aoun. *Numerical Modeling of Axisymmetric Flow.* v. 32, no. 3, pp. 458-464.

Panno, S. V., K. C. Hackley, K. Cartwright & C. L. Liu. *Hydrochemistry of the Mahomet Bedrock Valley Aquifer, East-Central Illinois: Indicators of Recharge and Ground-Water Flow.* v. 32, no. 4, pp. 591-604.

Parker, B. L., R. W. Gillham & J. A. Cherry. *Diffusive Disap-*

pearance of Immiscible-Phase Organic Liquids in Fractured Geologic Media. v. 32, no. 5, pp. 805-820.

Parker, J. C., J. L. Zhu, T. G. Johnson, V. J. Kremesec & E. L. Hockman. *Modeling Free Product Migration and Recovery at Hydrocarbon Spill Sites.* v. 32, no. 1, pp. 119-128.

Pham, V. N., D. Boyer, T.K.T. Nguyen & V. G. Nguyen. *Deep Ground-Water Investigation by Combined VES/MTS Methods Near Ho Chi Minh City, Viet Nam.* v. 32, no. 4, pp. 675-682.

Picking, Larry W. *Analyzing the Recovery of a Finite-Diameter Well After Purging at an Unknown Rate—A Substitute for Slug-Testing.* v. 32, no. 1, pp. 91-95.

Piggott, A. R., A. G. Bobba & J. Xiang. *Inverse Analysis Implementation of the SUTRA Ground-Water Model.* v. 32, no. 5, pp. 829-836.

Pisani, S. & N. Tosi. *Two Methods for the Laboratory Identification of Transversal Dispersivity.* v. 32, no. 3, pp. 431-438.

Poeter, E. & P. Townsend. *Assessment of Critical Flow Path for Improved Remediation Management.* v. 32, no. 3, pp. 439-447.

Ritzi, R. W., Jr., D. F. Jayne, A. J. Zahradnik Jr., A. A. Field & G. E. Fogg. *Geostatistical Modeling of Heterogeneity in Glaciofluvial, Buried-Valley Aquifers.* v. 32, no. 4, pp. 666-674.

Rosen, Lars. *(A) Study of the DRASTIC Methodology with Emphasis on Swedish Conditions.* v. 32, no. 2, pp. 278-285.

Rovey, C. W. II & D. S. Cherkauer. *Relation Between Hydraulic Conductivity and Texture in a Carbonate Aquifer: Observations.* v. 32, no. 1, pp. 53-62.

Rovey, C. W. II & D. S. Cherkauer. *Relation Between Hydraulic Conductivity and Texture in a Carbonate Aquifer: Regional Continuity.* v. 32, no. 2, pp. 227-238.

Rutledge, A. T. & C. C. Daniel, III. *Testing an Automated Method to Estimate Ground-Water Recharge from Streamflow Records.* v. 32, no. 2, pp. 180-189.

Saunders, J. A. & L. E. Toran. *Evidence for Dedolomitization and Mixing in Paleozoic Carbonates Near Oak Ridge, Tennessee.* v. 32, no. 2, pp. 207-214.

Shan, C. & D. B. Stephens. *Computer Notes — Recommendations for Usage of SURFER to Gridding Model Results.* v. 32, no. 3, pp. 503-506.

Sharp, J. M., Jr., L. Fu, P. Cortez & E. Wheeler. *(An) Electronic Minipermeameter for Use in the Field and Laboratory.* v. 32, no. 1, pp. 41-46.

Shiau, B.-J., D. A. Sabatini & J. H. Harwell. *Solubilization and Microemulsification of Chlorinated Solvents Using Direct Food Additive (Edible) Surfactants.* v. 32, no. 4, pp. 561-569.

Shrestha, S. P. & G. V. Loganathan. *Monte Carlo Simulation and Effective Medium Approximation in Subsurface Flow Modeling.* v. 32, no. 6, pp. 929-936.

Srivastava, R. & A. Guzman-Guzman. *Analysis of Slope-Matching Methods for Aquifer Parameter Determination.* v. 32, no. 4, pp. 570-575.

Starr, R. C. & J. A. Cherry. *In Situ Remediation of Contaminated Ground Water: The Funnel-and-Gate System.* v. 32, no. 3, pp. 465-476.

Stetzenbach, K. J., M. Amano, D. K. Kreamer & V. F. Hodge. *Testing the Limits of ICP-MS: Determination of Trace Elements in Ground Water at the Part-Per-Trillion Level.* v. 32, no. 6, pp. 976-985.

Swain, Eric D. *Computer Notes — Implementation and Use of Direct-Flow Connections in a Coupled Ground-Water and Surface-Water Model.* v. 32, no. 1, pp. 139-144.

Taucher, P. & B. N. Fuller. *(A) Refraction Statics Method for Mapping Bedrock.* v. 32, no. 6, pp. 895-904.

Thomas, N. E., K. T. Kan, D. I. Bray & K.T.B. MacQuarrie. *Temporal Changes in Manganese Concentrations in Water from the Fredericton Aquifer, New Brunswick.* v. 32, no. 4, pp. 650-656.

van der Kamp, G., L. D. Luba, J. A. Cherry & H. Maathuis. *Field Study of a Long and Very Narrow Contaminant Plume.* v. 32, no. 6, pp. 1008-1016.

Voudrias, E. A. & M.-F. Yeh. *Dissolution of a Toluene Pool Under Constant and Variable Hydraulic Gradients with Implications for Aquifer Remediation.* v. 32, no. 2, pp. 305-311.

Wade, S. C. & M. Reiter. *Hydrothermal Estimation of Vertical Ground-Water Flow, Cañutillo, Texas.* v. 32, no. 5, pp. 735-742.

Wildenschild, D., K. H. Jensen, K. Villholth & T. H. Illangasekare. *(A) Laboratory Analysis of the Effect of Macropores on Solute Transport.* v. 32, no. 3, pp. 381-389.

Wilhelm, S. R., S. L. Schiff & J. A. Cherry. *Biogeochemical Evolution of Domestic Waste Water in Septic Systems: 1. Conceptual Model.* v. 32, no. 6, pp. 905-916.

Wise, W. R. & R. J. Charbeneau. *In Situ Estimation of Transport Parameters: A Field Demonstration.* v. 32, no. 3, pp. 420-430.

Yan, Song-kai, G. R. Landry & T. Tate. *Computer Notes — A Computer Model for DNAPL Potential Migration Study.* v. 32, no. 6, pp. 1029-1034.

Yeh, T.-C. J., A. Guzman, R. Srivastava & P. E. Gagnard. *Numerical Simulation of the Wicking Effect in Liner Systems.* v. 32, no. 1, pp. 2-11.

Zheng, C. *Analysis of Particle Tracking Errors Associated with Spatial Discretization.* v. 32, no. 5, pp. 821-828.

Zlotnik, Vitaly. *Interpretation of Slug and Packer Tests in Anisotropic Aquifers.* v. 32, no. 5, pp. 761-766.

Zou, S. & A. Parr. *Two-Dimensional Dispersivity Estimation Using Tracer Experiment Data.* v. 32, no. 3, pp. 367-373.

U.S. Postal Service

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

Required by 39 U.S.C. 3685)

1A. Title of Publication	1B. PUBLICATION NO.	2. Date of Filing
GROUND WATER	0 0 1 7 4 6 7 X	SEPTEMBER 1994
3. Frequency of Issue	3A. No. of Issues Published Annually	3B. Annual Subscription Price
BI-MONTHLY	6	$110.00 INTL $ 90.00 DOM

4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers)

6375 RIVERSIDE DRIVE, DUBLIN, OHIO 43017-2091 (FRANKLIN)

5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer)

6375 RIVERSIDE DRIVE, DUBLIN, OHIO 43017-2091 (FRANKLIN)

6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)

Publisher (Name and Complete Mailing Address)

ANITA STANLEY, 6375 RIVERSIDE DRIVE, DUBLIN, OHIO 43017-2091

Editor (Name and Complete Mailing Address)

JOHN BREDEHOEFT, 234 SCENIC DRIVE, LA HONDA, CALIFORNIA 94020

Managing Editor (Name and Complete Mailing Address)

MARILYN HOCH, 502 COUNTY ROAD 900E, TOLONO, ILLINOIS 61880

7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

Full Name	Complete Mailing Address
GROUND WATER PUBLISHING COMPANY	6375 RIVERSIDE DRIVE DUBLIN, OHIO 43017-2091
NATIONAL GROUND WATER ASSOCIATION	6375 RIVERSIDE DRIVE DUBLIN, OHIO 43017-2091

8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)

Full Name	Complete Mailing Address
NONE	N/A

9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 423.12 only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)

(1) ☐ Has Not Changed During Preceding 12 Months
(2) ☐ Has Changed During Preceding 12 Months

(If changed, publisher must submit explanation of change with this statement.)

10. Extent and Nature of Circulation (See instructions on reverse side)	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	15,621	15,831
B. Paid and/or Requested Circulation 1. Sales through dealers and carriers, street vendors and counter sales	0	0
2. Mail Subscription (Paid and/or requested)	15,115	15,498
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	15,115	15,498
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies	0	0
E. Total Distribution (Sum of C and D)	15,115	15,498
F. Copies Not Distributed 1. Office use, left over, unaccounted, spoiled after printing	506	333
2. Return from News Agents	0	0
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	15,621	15,831

11. I certify that the statements made by me above are correct and complete

Signature and Title of Editor, Publisher, Business Manager, or Owner

Carol Estabrook, Circulation Manager

PS Form 3526, Feb. 1989